North America's Leader in Hazardous Material Information Management

1905 Aston Avenue, Carlsbad, CA 92008 Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005

To: MSDS Requester

From: 3E Company

Subject: The MSDS you have requested

[] MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communicatin Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

[] MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

[X] MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

[] MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: American Rubber Technologies, Inc.

Product Name: Art Recycled Crumb

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



Section		= = 1101 perintings. If any [
Section (ART Recycled Crumb Note: Elank spaces are not permitted. If any item is not applicable information is available, the space must be marked to incident the space in the spac					
· · · · · · · · · · · · · · · · · · ·			ende to noteste that.			
Manufacturer's Name American Rubber Technolog Address (Number Street City Street Address)	lioc T-	Emergency Telephone Number				
Address (Number, Street, City, State, and ZIF Code) 302 North Lane Avenue	<u> 165, III</u>	Telephone Number for Information				
		904-786-5200 Cate Prepared				
Jacksonville, FL 32254		Fare Clenated				
<u></u>		Signature of Preparer (optional)				
Section II – Hazardous Ingredient	s/Identity	/ Information				
						
Hazardous Components (Specific Chemical Identity; C	Common Name(Other L S) CSHA PEL ACGIH TLY Recomm				
Non-Hazardous, polvmer.		HECOMIN TO THE COMIN	anded % (optional)			
Recycled rubber is consi	dered a	Don-toxic per				
elastomers and asphalt. a	c - coil	eććitivo to				
	plavaro	sunds parking in reduce compact	tion;			
or as a plant mulch.	<u> </u>	dues, parking lots, horse	arenas,			
			-			
Section W. D.						
Section III - Physical / Chemical Ch	naracterist	ics				
Section III - Physical / Chemical Ch						
Section III - Physical / Chemical Ch	naracterist N/A	Specific Gravity (H ₂ O = 1)	1 00 1 10			
appr Pressure (mm Hg.)			1.09-1.18			
apor Density (AIR = 1)	N/A N/A	Specific Gravity (F ₂ O = 1) Mailing Point Evacoration Rate	1.09-1.18 N/A			
Tabor Pressure (mm Hg.) apor Density (AIR = 1) diubility in Water INSOLUBLE	N/A	Specific Gravity (H ₂ O = 1) Metting Point				
apor Density (AIR = 1) clubility in Water INSOLUBLE ppearance and Oder	N/A N/A N/A	Specific Gravity (P ₂ C = 1) Menting Point Evacoration Rate (Butyl Aperate = 1)	N/A N/A			
apor Density (AIR = 1) clubility in Water INSOLUBLE copearance and Oder	N/A N/A N/A	Specific Gravity (P ₂ C = 1) Menting Point Evacoration Rate (Butyl Aperate = 1)	N/A N/A			
cotion of Point (appr Pressure (mm Hg.)) appr Density (AIR = 1) clubility in Water INSOLUBLE prearance and Oder Rlack & white granular or ection IV — Fire and Explosion Haz	N/A N/A N/A	Specific Gravity (P ₂ C = 1) Menting Point Evacoration Rate (Butyl Aperate = 1)	N/A N/A			
aper Pressure (mm Hg.) aper Density (AIR = 1) clubility in Water INSOLUBLE opearance and Oder Black & white granular or ection IV — Fire and Explosion Haz	N/A N/A N/A	Scenific Gravity (F ₂ O = 1) Maining Point Evectoration Rate (Butyl Acetate = 1) faint recycled vulcanize	N/A N/A			
apor Praesure (mm Eg.) apor Density (AIR = 1) clubrity in Water INSOLUBLE cpearance and Odor Rlack & white granular or ection IV — Fire and Explosion Haz ash Foint (Method Used)	N/A N/A N/A	Scenific Gravity (F20 = 1) Mailing Fount Evacoration Rate (Butyl Acetate = 1)	N/A N/A n/A d rubber odor.			
apor Pressure (mm Eg.) apor Density (AIR = 1) clubility in Water INSOLUBLE cpearance and Odor Rlack & white granular or ection IV — Fire and Explosion Haze ash Foint (Method Used) N/A	N/A N/A N/A Dowder	Specific Gravity (P2C = 1) Mailing Point Evacoration Rate (Butyl Acetate = 1)	N/A N/A			
apor Pressure (mm Hg.) apor Density (AIR = 1) clubility in Water INSOLUBLE crearance and Odor Rlack & white granular or ection IV — Fire and Explosion Haz ash Point (Method Used) N/A tinguishing Media CO², Dry chemi	N/A N/A N/A Dowder Zard Data	Specific Gravity (F2C = 1) Mailing Point Evaporation Rate (Butyl Adstate = 1)	N/A N/A d rubber odor. N/A N/A			
decir Freesure (mm Hg.) apor Density (AIR = 1) clubility in Water INSOLUBLE creatance and Occor Rlack & white granular or ection IV — Fire and Explosion Haze ash Foint (Method Used) N/A tinguishing Media CO², Dry chemi ecial Fire Fighting Procedures OXIOUS gases may be formed	N/A N/A N/A Dowder Zard Data	Specific Gravity (F2C = 1) Mailing Point Evaporation Rate (Butyl Adstate = 1)	N/A N/A d rubber odor. N/A N/A			
depar Pressure (mm Hg.) depar Density (AIR = 1) diubility in Water INSOLUBLE prearance and Oder Rlack & white granular or rection IV — Fire and Explosion Haze ash Point (Method Used) N/A tinguishing Media CO² , Dry chemi ecial Fire Fighting Procedures foxious gases may be formed reathing apparatus	N/A N/A N/A Dowder Zard Data	Specific Gravity (F2C = 1) Mailing Point Evaporation Rate (Butyl Adstate = 1)	N/A N/A d rubber odor. N/A N/A			
depar Pressure (mm Hg.) depar Pressure (mm Hg.) depar Density (AIR = 1) diubility in Water	N/A N/A N/A Dowder Zard Data cal, wa	Specific Gravity (F2C = 1) Mailing Fount Evacoration Rate (Euryt Acetate = 1) Fammable Limits N/A LEL	N/A N/A d rubber odor. N/A N/A contained			
depar Pressure (mm Hg.) depar Pressure (mm Hg.) depar Density (AIR = 1) department of the pressure and Oder Rlack & white granular or the ection IV — Fire and Explosion Haze ash Foint (Method Used) N/A dinguishing Media CO², Dry chemical fire Fighting Procedures (oxious gases may be formed reathing apparatus.) usual Fire and Explosion Hazards ust may be explosive if mix	N/A N/A N/A Dowder Zard Data cal, wa under:	Specific Gravity (F2C = 1) Mailing Fount Evacoration Rate (Euryt Acetate = 1) Fammable Limits N/A LEL	N/A N/A d rubber odor. N/A N/A contained			
apor Density (AIR = 1) clubility in Water INSOLUBLE crearance and Odor Rlack & white granular or ection IV — Fire and Explosion Haz ach Foint (Method Used) N/A tinguishing Media CO², Dry chemi ectal Fire Fighting Procedures oxious gases may be formed reathing apparatus. usual Fire and Explosion Hazards ust may be explosive if mix	N/A N/A N/A Dowder Zard Data cal, wa under:	Specific Gravity (F2C = 1) Mailing Fount Evacoration Rate (Eutyt Acetate = 1) faint recycled vulcanize Fammable Limits N/A LEL ter spray / fog or foam. fire conditions; wear self I air in critical proportions I air in critic	N/A N/A i rubber odor. N/A N/A contained			
apor Density (AIR = 1) clubility in Water INSOLUBLE cpearance and Odor Rlack & white granular or ection IV — Fire and Explosion Haz ash Foint (Method Used) N/A tinguishing Media CO², Dry chemi ectial Fire Fighting Procedures oxious gases may be formed reathing apparatus. usual Fire and Explosion Hazards ust may be explosive if mix	N/A N/A N/A Dowder Zard Data cal, wa under:	Specific Gravity (F2C = 1) Mailing Fount Evacoration Rate (Eutyt Acetate = 1) faint recycled vulcanize Fammable Limits N/A LEL ter spray / fog or foam. fire conditions; wear self I air in critical proportions I air in critic	N/A N/A i rubber odor. N/A N/A contained			
depar Pressure (mm Hg.) apor Density (AIR = 1) clubility in Water	N/A N/A N/A Dowder Zard Data cal, wa under:	Scenific Gravity (F2C = 1) Maining Fount Evacoration Rate (Buryl Acetate = 1) , faint recycled vulcanize Fammable Limits N/A ter spray / fog or foam. fire conditions; wear self air in critical proportion Phis hazard similar to any	N/A N/A N/A rubber odor. N/A N/A N/A contained			

Section V - R	eactivity Data					
Stability	Unstable 12.42.		ins to Avoid ame			2.13.20
N/A	Stable X			·		
Incompatibility (Mater	nale to Aunida	ic incompa	tabilities.	ion, may prod	,	
		By thermal	. decomposit	id and casee	luce carson :	enexide,
Hazardous Polymerization	May Occur Will Not Occur	Sultur di Candilia	ons to Avoid	id and gaseou	15 HAGIOCEIDO	
••	- X	.				•
Section VI - I	Health Hazard D	Data				
Route(s) of Entry:	Inhalatio	en?	. Skin?		Ingestion?	 -
Health Hazards (Acu None)	te and Chronic) known or exp	ected.	1	,		
Carcinogenicity: None I	NTP? known or exp	pected	IARC Mono	ographs?	OSHA Regulated?	·
Signs and Symptoms None 1	known or exp	pected.				
No. 10		· · · · · · · · · · · · · · · · · · ·				
Medical Conditions Generally Aggravated	d by Exposure NO	one known o	or expected.			
*						
Emergency and First None	Aid Processives required. C	ordinary me	easures of p	ersonal hygi	ene should be	
<u>ačegua</u>	ate.					
	Precautions for					
Steps to Be Taken in Sweep	Case Material Is Releas Or Vacuum a	ed or Scilled and place i	into disposa	l containers	•	
					•	
Waste Disposal Meth	ਹਰੀ 					
Dispos	sal must be	made in ac	cordance wi	th Federal,	State and Loc	 Cal regulati
This mate:	en in Handling and Stor rial has bee	ng classed	as a non-fl	ammable solid	d in accordan	ace with
the tests	of the Haza	rdous Mate	erials Regul	ations of the	e II S Dont	-5 M
Other Precautions None				de da	e o.b. pept.	or Transpor
Section VIII -	Control Measur	res				
Respiratory Protection						 -
Ventilation Not	required Local Exhaust					
	Preferabl Mechanical (General)				ecial None	
Protective Gloves	Acceptabl	.e			her None	
NOTIE 1	required.	· · · · · · · · · · · · · · · · · · ·		Eye Protecti NOTIE	on	
None Work / Hygienic Practic	``					•
	cas <u>trv measures</u>	of person	al hydieno			<u> </u>
			ATELLE			